

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listing of claims, in the Application.

Listing of claims:

1. (Currently amended) A method of displaying and interacting with local and remote data objects in a distributed data processing system, comprising:

(i) accessing a local model defining at least one local data object and at least one local action[[,]] which may be performed on[[,]] said local data object;

(ii) accessing a remote model defining at least one remote data object and at least one remote action[[,]] which may be performed on[[,]] said remote data object;

(iii) displaying at least one of said local data objects and said remote data objects in a viewer;

(iv) in response to selection of a data object from said viewer in (iii), determining a location characteristic for said selected data object; and

(v) in the context of said location characteristic determined in (iv), performing at least one action on said selected data object, as defined by one of said local model and said remote model.

2. (Currently amended) The method of claim 1, further comprising:

(vi) defining a hybrid local/remote data object, the hybrid data object being both comprising a local data object and a remote data object and displaying said hybrid local/remote data object in said viewer in (iii); and

(vii) if said hybrid local/remote data object is selected in (iv), then in (v) performing at least one action on said selected hybrid local/remote data object as defined by at least one of said local model and said remote model.

3. (Original) The method of claim 2, further comprising merging said local model and said remote model into a merged viewer model, said merged viewer model containing data objects and actions from both said local model and said remote model.

4. (Currently amended) The method of claim 2, further comprising displaying in said viewer a list of local actions and a list of remote actions that may be performed on said hybrid local/remote data object.

5. (Currently amended) The method of claim 2, further comprising displaying in said viewer a list of actions that may be performed on said hybrid local/remote data

- object, and upon selection of an action, further displaying a list of locations on which said action is to be performed.
6. (Original) The method of claim 5, wherein said list of locations includes local, remote, and both locations.
 7. (Currently amended) The method of claim 2, further comprising performing on said hybrid ~~local/remote~~ data object at least one local action and at least one remote action, substantially at the same time.
 8. (Original) The method of claim 7, wherein said at least one local action and said at least one remote action comprises the same action.
 9. (Currently amended) The method of claim 3, further comprising determining, utilizing said merged viewer model, which combined local and remote actions are invalid for performing on a selected hybrid ~~local/remote~~ data object.
 10. (Currently amended) The method of claim 9, further comprising displaying in said viewer a list of actions that may be performed on said hybrid ~~local/remote~~ data object.
 11. (Currently amended) A system for displaying and interacting with local and remote data objects in a distributed data processing system, comprising:

- (a) an access to a local model including definitions for at least one local data object and at least one local action, which may be performed on said local data object;
 - (b) an access to a remote model including definitions for at least one remote data object and at least one remote action, which may be performed on[[,]] said remote data object;
 - (c) a viewer configured to display at least one of said local data objects and said remote data objects, said viewer being configured to permit a data object to be selected therefrom; and
 - (d) a module configured to determine a location characteristic for said data object selected from said viewer and to perform at least one action on said selected data object, as defined by one of said local model and said remote model.
12. (Currently amended) The system of claim 11, further comprising a merged viewer model including definitions from both said local model and said remote model, said merged viewer model defining a hybrid local/remote data object, the hybrid data object being both a local data object and a remote data object ~~comprising a local data object and a remote data object~~.

13. (Currently amended) The system of claim 12, wherein said viewer is further configured to display said hybrid ~~local/remote~~ data object and permit said hybrid ~~local/remote~~ data object to be selected therefrom.
14. (Currently amended) The system of claim 13, wherein said viewer is further configured to display a list of local actions and a list of remote actions that may be performed on said hybrid ~~local/remote~~ data object.
15. (Currently amended) The system of claim 13, wherein said viewer is further configured to display in said viewer a list of actions that may be performed on said hybrid ~~local/remote~~ data object, and upon selection of an action, to further display a list of locations on which said action is to be performed.
16. (Original) The system of claim 15, wherein said list of locations includes local, remote, and both locations.
17. (Currently amended) The system of claim 12, wherein said merged viewer model is further configured to determine which combined local and remote actions are invalid for performing on a selected hybrid ~~local/remote~~ data object.
18. (Currently amended) The system of claim 17, wherein said viewer is further configured to display only a

list of valid actions that may be performed on said hybrid local/remote data object.

19. (Currently amended) A system for displaying and interacting with local and remote data objects in a distributed data processing system, comprising:

(i) means for accessing a local model defining at least one local data object and at least one local action[[,]] which may be performed on said local data object;

(ii) means for accessing a remote model defining at least one remote data object and at least one remote action[[,]] which may be performed on said remote data object;

(iii) means for displaying at least one of said local data objects and said remote data objects in a viewer;

(iv) in response to a selection of a data object from said viewer in (iii), means for determining a location characteristic for said selected data object; and

(v) in the context of said location characteristic determined in (iv), means for performing at least one action on said selected data object, as defined by one of said local model and said remote model.

20. (Currently amended) The system of claim 19, further comprising:

(vi) means for defining a hybrid ~~local/remote~~ data object, the hybrid data object being both comprising a local data object and a remote data object and displaying said hybrid ~~local/remote~~ data object in said viewer in (iii); and

(vii) means for performing at least one action on said selected hybrid ~~local/remote~~ data object as defined by at least one of said local model and said remote model.

21. (Currently amended) A computer readable medium having computer readable program code embedded in the medium for displaying and interacting with local and remote data objects in a distributed data processing system, the computer readable program code including:

(a) code for accessing a local model defining at least one local data object and at least one local action which may be performed on said local data object;

(b) code for accessing a remote model defining at least one remote data object and at least one remote action which may be performed on said remote data object;

(c) code for displaying at least one of said local data objects and said remote data objects in a viewer;

(d) in response to a selection of a data object from said viewer in (iii), code for determining a location characteristic for said selected data object; and

(e) in the context of said location characteristic determined in (iv), code for performing at least one action on said selected data object, as defined by one of said local model and said remote model.

22. (Currently amended) The computer readable medium of claim 21, further comprising:

(f) code for defining a hybrid ~~local/remote~~ data object, the hybrid data object being both comprising a local data object and a remote data object and displaying said hybrid ~~local/remote~~ data object in said viewer in (iii); and

(g) code for performing at least one action on said selected hybrid ~~local/remote~~ data object as defined by at least one of said local model and said remote model.